


BOHAI 5 (“BH5”)

	For Additional Information Please Contact: COSL DRILLING Marketing Department P. O. Box 232, Beijing 101149, China, P.R.C Phone: +86 010 84522511 Fax: +86 010 84522867 sh_cosldrillingmarket@cosl.com.cn www.cosl.com.cn
General Description	
Design/Generation	4 leg hydraulic Jack-up Type
Constructing Shipyard	Dalian Shipbuilding Industry Co, Ltd. P.R.C
Year Enter Service/Significant Upgrades	1983
Classification	CCS
Flag	China
Displacement	7,235tons
Variable Deck	1,499tons
Operating Water Depth	130ft
Maximum Drilling Depth	20,000ft
Accomodation	112
Drilling Equipment	
Top Drive	Varco IDS-1, 1000 HP, 5,000 psi
Draw works	National Supply/1320 UE with 2x1,600HPDC
Derrick	PYRAMID MANUFACTURING CO./ 20RDA
Cantilever	---
Mud Pumps	Baoji Oil machine Company F-1600 x 2, 1,600HPeach, 5,000 psi
Storage Capacities	
Fuel Oil	2,297bbls
Liquid Mud	1937bbls
Base Oil	---
Brine	---
Drill Water	1,070bbls
Portable Water	2,463bbls
BOP & Subsea Equipment	

BOP Rams	Shaffer x 13-5/8"x 10,000psiWP Single Ram , Shaffer x 13-5/8"x 10,000psiWP Dual Ram BOPs
BOP Annular	Hydril x 13-5/8" x 5000psiWP Annular
Diverter	---
Other Information	
Cranes	40ton x 2
Heli-deck	Sikorski S61 N Helicopter
Containment System	zero discharge

BOHAI 5 ("BH5")

